

traverse  
Spec Guide  
Issued February 2018



okamura

## Impossibly thin. Beautifully strong.

Inspired by architecture and made possible by advances in structural engineering, the Traverse conference table collections feature a top so thin that it seems to float gracefully on the minimal support system, yet can span up to 20 feet in length. Every component of the table has been meticulously designed, from the silhouette to the transparent design, from the integration of technology to fourteen beautiful finishes.

Okamura's legacy of structural engineering, passion for creative materials, and signature craftsmanship unite in the Traverse Collection—recreating the conference table through engineered simplicity.




## v collection

The minimal silhouette of traverse v collection is achieved through a simple, canted leg design mirrored on either side of the table.


\* Traverse v collection is designed and manufactured to meet or exceed ANSI/BIFMA X5.5.




Shapes



Rectangle







Boat




















Oval













Drawing



# v collection

Dimensions		Length			
		96" (2438)	120" (3048)	144" (3658)	168" (4267)
		 8 Person	 10 Person	 12 Person	 14 Person
Height	Width				
42" (1067)					
48" (1219)					
29" (740)					
54" (1372)					
60" (1524)					

← grain direction    - - - - split line    inches (mm)

Dimensions		Length		
		192" (4875)	216" (5486)	240" (6096)
		 16 Person	 18 Person	 20 Person
Height	Width			
48" (1219)				
29" (740)	54" (1372)			
60" (1524)				

← grain direction    - - - - split line    inches (mm)



# Finishes

## Top Edges



Knife



Flat



Flat metallic


## Beam Finish



**A101** : brushed & anodized aluminum


## Veneer cut & match diagram

Veneer cut : Quarter cut  
Veneer match : Slip match




- WE51** : Dyed Oak
- WE52** : Dark Sapele
- WE54** : Teak
- WE56** : Figured Maple

Veneer cut : Flat cut  
Veneer match : Slip match




- WE53** : Walnut
- WE55** : Oak



■ Wood veneer


**WE51**



Top  
WE51 : Dyed Oak  
(Quarter Cut / Slip Match)

Legs  
WE51 : Dyed Oak  
(Quarter Cut / Slip Match)


**WE52**



Top  
WE52 : Dark Sapele  
(Quarter Cut / Slip Match)

Legs  
WE52 : Dark Sapele  
(Quarter Cut / Slip Match)


**WE53**



Top  
WE53 : Walnut  
(Flat Cut / Slip Match)

Legs  
WE53 : Walnut  
(Flat Cut / Slip Match)


**WE54**



Top  
WE54 : Teak  
(Quarter Cut / Slip Match)

Legs  
WE54 : Teak  
(Quarter Cut / Slip Match)


**WE55**



Top  
WE55 : Oak  
(Flat Cut / Slip Match)

Legs  
WE55 : Oak  
(Flat Cut / Slip Match)

**WE56**




Top  
WE56 : Figured Maple  
(Quarter Cut / Slip Match)

Legs  
WE56 : Figured Maple  
(Quarter Cut / Slip Match)

■ Reconstituted wood


**WE61**



Top  
WE61 : Pinstripe

Legs  
WE61 : Pinstripe

**WE66**



Top  
WE66 : Red Stripe

Legs  
WE66 : Red Stripe


**WE67**



Top  
WE67 : Golden Wall

Legs  
WE67 : Golden Wall


**WE64**



Top  
WE64 : Beat

Legs  
WE64 : Beat

**WE63**



Top  
WE63 : Gray Silver

Legs  
WE63 : Gray Silver

## Integrated Technology |

Integrated technology is concealed within each design, allowing for future flexibility. As technology tools advance toward wireless offices, Traverse locates power and data in its Tech Cradle—a small connective box discreetly tucked under the tabletop. Cables are hidden within the legs, ensuring a polished look and more usable space.

- All four legs have large wiring capacity.
- Maintenance is easy with removable leg covers.
- Traverse comes with a removable duct under the tabletop which can be used to store excess cables.
- Traverse utilizes 4-wire, 2-circuit electrical module system for power sourcing.
- The Tech Cradle and wiring kit must be installed by a professional furniture installer.
- An arrangement of small wiring holes can be created on tabletop if specified.

### Chicago Electrical Requirements

The city of Chicago may require hardwiring of electrical components. For Chicago applications, Okamura provides Tech Cradle with hardwired power cord. Electrical components such as junction boxes, power infeed and jumpers must be purchased separately. Chicago-specified Tech Cradle contains all standard voice/data components.

### Other Municipality Electrical Requirements

Other metropolitan areas besides Chicago may have special electrical requirements as well. Consult a local electrical contractor for proper code compliance information.




## v collection



## Power Source Diagram


- Utilizes 4-wire, 2-circuit electrical module system as power source for each Tech Cradle.
- Each Tech Cradle will be plugged in to receptacle block of electrical module system.
- All receptacle blocks are specified with only 1-circuit as standard. Receptacle blocks with 2-circuit can be ordered as an option.
- 20-amp hardwire power infeed is standard. A licensed electrician is required to complete hardwire connections to building's power source. Plug-in power infeed option available.
- 4-wire, 2-circuit electrical system supplied for standard hardwire infeed. Single circuit electrical system supplied for optional plug-in power infeed.
- Hardwire power infeed is 72" from the first receptacle block as standard. Longer hardwire power infeed is available as an option.
- Hardwire power infeed is a flexible metal conduit as standard. Liquid-tight conduit option available.
- All wires are 12 gauge
- The Tech Cradle and power source cable kit are UL listed for upholding strict safety standards.

### Electrical Diagram for Hardwire Power Infeed



Note : For two circuits, Hot 1+2 should be connected to opposite sides of 240v bus.

v collection



# Specifying Integrated Technology

## Step 1 – Specify power source cable kit


- Size of the table
- Choose number of outlets
- Receptacles with 2-circuit will be available as an option

## Step 2 – Specify Tech Cradle


- Select the configuration of Tech Cradle
- Choose number of each Tech Cradle

# Wire routing details


v collection




### Effective dimensions from the leg to the duct




Case 1 : Utilizing side opening




Case 2 : Utilizing bottom opening



### Effective wiring duct dimensions




# Tech Cradle mounting position and dedicated power source cable kit




96"L

Fewer Tech Cradles **8 Person / 4 Tech Cradles / 8 Outlets**




Item code of power source cable kit : **4LHPEA-Y647**




Item code of power source cable kit : **4LHPEA-Y647**

More Tech Cradles **8 Person / 4 Tech Cradles / 8 Outlets**




Item code of power source cable kit : **4LHPEA-Y647**



Item code of power source cable kit : **4LHPEA-Y647**



\* Power source cable kit does not include Tech Cradle. Tech Cradle needs to be specified separately. □ Tech Cradles

# Tech Cradle mounting position and dedicated power source cable kit





120"L

Fewer Tech Cradles **10 Person / 4 Tech Cradles / 8 Outlets**




More Tech Cradles **10 Person / 4 Tech Cradles / 8 Outlets**




\* Power source cable kit does not include Tech Cradle. Tech Cradle needs to be specified separately. □ Tech Cradles

# Tech Cradle mounting position and dedicated power source cable kit




144" L

Fewer Tech Cradles **12 Person / 4 Tech Cradles / 12 Outlets**




Item code of power source cable kit : **4LHPFB-Y647**




Item code of power source cable kit : **4LHPFB-Y647**

More Tech Cradles **12 Person / 6 Tech Cradles / 8 Outlets**



Item code of power source cable kit : **4LHPEB-Y647**




Item code of power source cable kit : **4LHPEB-Y647**

\* Power source cable kit does not include Tech Cradle. Tech Cradle needs to be specified separately. □ Tech Cradles




# Tech Cradle mounting position and dedicated power source cable kit




168" L

Fewer Tech Cradles **14 Person / 6 Tech Cradles / 16 Outlets**




Item code of power source cable kit : **4LHPFF-Y647**




Item code of power source cable kit : **4LHPFF-Y647**

More Tech Cradles **14 Person / 8 Tech Cradles / 12 Outlets**




Item code of power source cable kit : **4LHPEC-Y647**



Item code of power source cable kit : **4LHPEC-Y647**



\* Power source cable kit does not include Tech Cradle. Tech Cradle needs to be specified separately. □ Tech Cradles

# Tech Cradle mounting position and dedicated power source cable kit





192" L

Fewer Tech Cradles **16 Person / 6 Tech Cradles / 16 Outlets**




More Tech Cradles **16 Person / 8 Tech Cradles / 12 Outlets**





\* Power source cable kit does not include Tech Cradle. Tech Cradle needs to be specified separately. □ Tech Cradles

# Tech Cradle mounting position and dedicated power source cable kit





216" L

Fewer Tech Cradles **18 Person / 6 Tech Cradles / 16 Outlets**




More Tech Cradles **18 Person / 8 Tech Cradles / 12 Outlets**





\* Power source cable kit does not include Tech Cradle. Tech Cradle needs to be specified separately. □ Tech Cradles

# Tech Cradle mounting position and dedicated power source cable kit





240" L

Fewer Tech Cradles **20 Person / 6 Tech Cradles / 20 Outlets**



More Tech Cradles **20 Person / 10 Tech Cradles / 12 Outlets**





\* Power source cable kit does not include Tech Cradle. Tech Cradle needs to be specified separately. □ Tech Cradles

# Tech Cradle


The Tech Cradle is a power and data supply unit created especially for Traverse. It mounts neatly on the beam under the tabletop. The Tech Cradle is generally comprised of a power supply module (left) and a data module (right). Please arrange wiring separately depending on table size.



- Tech Cradle is designed to accept Extron AAP plates.
- Standard Data module options : a) blank plate b) AV c) Phone/Data.
- Cables to connect each Data module such as HDMI cables and Phone/Data cables must be purchased separately.
- Standard Extron AAP plates can also be integrated in the Tech Cradle. For special applications specify a blank plate and purchase Extron AAP plates directly from Extron : <http://www.extron.com/company/article.aspx?id=aapmaap>. It is the responsibility of the user's technical staff to field install. Opening of data module allows for two single AAP plates.
- The Tech Cradle is UL listed for upholding strict safety standards.



Drawing of the opening for Extron AAP plate



	Power	Data	Cord for Power module	Product Code
	Two Power Outlets	Blank Plate	w/(1) 72" cord	4LHPAB-A03
			w/(1) 72" hardwire cord	4LHPCB-A03
	Two Power Outlets	<b>AV</b> (1) HDMI : HDMI female to female 10" (25cm) pigtail (1) VGA : 15-pin female to female on 6" (15cm) pigtail (1) AUDIO : 3.5 mm stereo mini jack to captive screw on 10" (25cm) pigtail (1) USB signal : USB A female to female on 10" (25cm) pigtail	w/(1) 72" cord	4LHPAS-A03
			w/(1) 72" hardwire cord	4LHPCS-A03
	Two Power Outlets	<b>Phone/Data module</b> (1) RJ-11 jack w/72" cable (1) RJ-45 CAT6 Jack w/72" CAT6 Network cable	w/(1) 72" cord	4LHPAT-A03
			w/(1) 72" hardwire cord	4LHPCT-A03
	One Power Outlet / Two USB Chargers	Blank Plate	w/(1) 72" cord	4LHPBB-A03
			w/(1) 72" hardwire cord	4LHPDB-A03
	One Power Outlet / Two USB Chargers	<b>AV</b> (1) HDMI : HDMI female to female 10" (25cm) pigtail (1) VGA : 15-pin female to female on 6" (15cm) pigtail (1) AUDIO : 3.5 mm stereo mini jack to captive screw on 10" (25cm) pigtail (1) USB signal : USB A female to female on 10" (25cm) pigtail	w/(1) 72" cord	4LHPBS-A03
			w/(1) 72" hardwire cord	4LHPDS-A03
	One Power Outlet / Two USB Chargers	<b>Phone/Data module</b> (1) RJ-11 jack w/72" cable (1) RJ-45 CAT6 Jack w/72" CAT6 Network cable	w/(1) 72" cord	4LHPBT-A03
			w/(1) 72" hardwire cord	4LHPDT-A03
	Two Power Outlets / One Power Outlet Two USB Chargers	Blank Plate	w/(2) 72" cord with plug	4LHPAU-A03
			w/(2) 72" hardwire cord	4LHPCU-A03
	Two Power Outlets / Two Power Outlets	Blank Plate	w/(2) 72" cord with plug	4LHPAA-A03
			w/(2) 72" hardwire cord	4LHPCC-A03

# Layout Sample

## ROOM 1




Table / traverse v collection ( L96"×W48"×H29")  
Chair / Choral ( 8 qty )  
Credenza / Aluminum base ( L60"×W20"×H29")

## ROOM 2




Table / traverse v collection ( L216"×W54"×H29")  
Chair / Choral ( 16 qty )

## ROOM 3







Table / traverse v collection ( L240"×W60"×H29")  
Chair / plimode ( 19 qty )  
Credenza / Plinth base ( L108"×W20"×H29")

Product Codes

v collection

					Product Code		
H	W	L	Top Finish	Top Edge	 Rectangle	 Boat	 Oval
29" (740)	42" (1067)	96" (2438)	Wood veneer	Knife	4LHVAA-WE51~56	4LHVGA-WE51~56	4LHVWA-WE51~56
				Flat	4LHVBA-WE51~56	4LHVHA-WE51~56	4LHVXA-WE51~56
				Flat metallic	4LHVDA-WE51~56	4LHVLA-WE51~56	4LHVZA-WE51~56
		Reconstituted wood	Knife	4LHVAA-WE61~67	4LHVGA-WE61~67	4LHVWA-WE61~67	
			Flat	4LHVBA-WE61~67	4LHVHA-WE61~67	4LHVXA-WE61~67	
			Flat metallic	4LHVDA-WE61~67	4LHVLA-WE61~67	4LHVZA-WE61~67	
	120" (3048)	Wood veneer	Knife	4LHVAC-WE51~56	4LHVGC-WE51~56	4LHVWC-WE51~56	
			Flat	4LHVBC-WE51~56	4LHVHC-WE51~56	4LHVXC-WE51~56	
			Flat metallic	4LHVDC-WE51~56	4LHVLC-WE51~56	4LHVZC-WE51~56	
		Reconstituted wood	Knife	4LHVAC-WE61~67	4LHVGC-WE61~67	4LHVWC-WE61~67	
			Flat	4LHVBC-WE61~67	4LHVHC-WE61~67	4LHVXC-WE61~67	
			Flat metallic	4LHVDC-WE61~67	4LHVLC-WE61~67	4LHVZC-WE61~67	
	144" (3658)	Wood veneer	Knife	4LHVAB-WE51~56	4LHVGB-WE51~56	4LHVWB-WE51~56	
			Flat	4LHVBB-WE51~56	4LHVHB-WE51~56	4LHVXB-WE51~56	
			Flat metallic	4LHVDB-WE51~56	4LHVLB-WE51~56	4LHVZB-WE51~56	
		Reconstituted wood	Knife	4LHVAB-WE61~67	4LHVGB-WE61~67	4LHVWB-WE61~67	
			Flat	4LHVBB-WE61~67	4LHVHB-WE61~67	4LHVXB-WE61~67	
			Flat metallic	4LHVDB-WE61~67	4LHVLB-WE61~67	4LHVZB-WE61~67	

<About product code>

The product codes of Okamura items consist of numbers and letters, and in general the 6-digit product code No. and 4-digit specification (color) code No.

■ Wood veneer / WE51 Dyed Oak, WE52 Dark Sapele, WE53 Walnut, WE54 Teak, WE55 Oak, WE56 Figured Maple

■ Reconstituted wood / WE61 Pinstripe, WE66 Red Stripe, WE67 Golden Wall, WE64 Beat, WE63 Gray Silver

**4LHVAA-WE51**  
 Product code (6 digits)      Specification (color code)

# Product Codes

v collection

H	W	L	Top Finish	Top Edge	Product Code		
					Rectangle	Boat	Oval
29" (740)	48" (1219)	96" (2438)	Wood veneer	Knife	4LHVAJ-WE51~56	4LHVGJ-WE51~56	4LHVWJ-WE51~56
				Flat	4LHVBK-WE51~56	4LHVHJ-WE51~56	4LHVXJ-WE51~56
				Flat metallic	4LHVDJ-WE51~56	4LHVLJ-WE51~56	4LHVZJ-WE51~56
			Reconstituted wood	Knife	4LHVAJ-WE61~67	4LHVGJ-WE61~67	4LHVWJ-WE61~67
				Flat	4LHVBK-WE61~67	4LHVHJ-WE61~67	4LHVXJ-WE61~67
				Flat metallic	4LHVDJ-WE61~67	4LHVLJ-WE61~67	4LHVZJ-WE61~67
		120" (3048)	Wood veneer	Knife	4LHVAD-WE51~56	4LHVGD-WE51~56	4LHVWD-WE51~56
				Flat	4LHVBD-WE51~56	4LHVHD-WE51~56	4LHVXD-WE51~56
				Flat metallic	4LHVDD-WE51~56	4LHVLD-WE51~56	4LHVZD-WE51~56
			Reconstituted wood	Knife	4LHVAD-WE61~67	4LHVGD-WE61~67	4LHVWD-WE61~67
				Flat	4LHVBD-WE61~67	4LHVHD-WE61~67	4LHVXD-WE61~67
				Flat metallic	4LHVDD-WE61~67	4LHVLD-WE61~67	4LHVZD-WE61~67
		144" (3658)	Wood veneer	Knife	4LHVAK-WE51~56	4LHV GK-WE51~56	4LHVWK-WE51~56
				Flat	4LHV BK-WE51~56	4LHVHK-WE51~56	4LHVXK-WE51~56
				Flat metallic	4LHV DK-WE51~56	4LHV LK-WE51~56	4LHVZK-WE51~56
			Reconstituted wood	Knife	4LHVAK-WE61~67	4LHV GK-WE61~67	4LHVWK-WE61~67
				Flat	4LHV BK-WE61~67	4LHVHK-WE61~67	4LHVXK-WE61~67
				Flat metallic	4LHV DK-WE61~67	4LHV LK-WE61~67	4LHVZK-WE61~67
		168" (4267)	Wood veneer	Knife	4LHVAE-WE51~56	4LHVGE-WE51~56	4LHVWE-WE51~56
				Flat	4LHVBE-WE51~56	4LHVHE-WE51~56	4LHVXE-WE51~56
				Flat metallic	4LHVDE-WE51~56	4LHVLE-WE51~56	4LHVZE-WE51~56
			Reconstituted wood	Knife	4LHVAE-WE61~67	4LHVGE-WE61~67	4LHVWE-WE61~67
				Flat	4LHVBE-WE61~67	4LHVHE-WE61~67	4LHVXE-WE61~67
				Flat metallic	4LHVDE-WE61~67	4LHVLE-WE61~67	4LHVZE-WE61~67
		192" (4875)	Wood veneer	Knife	4LHVAF-WE51~56	4LHVGF-WE51~56	4LHVWF-WE51~56
				Flat	4LHVBF-WE51~56	4LHVHF-WE51~56	4LHVXF-WE51~56
				Flat metallic	4LHVDF-WE51~56	4LHVLF-WE51~56	4LHVZF-WE51~56
			Reconstituted wood	Knife	4LHVAF-WE61~67	4LHVGF-WE61~67	4LHVWF-WE61~67
				Flat	4LHVBF-WE61~67	4LHVHF-WE61~67	4LHVXF-WE61~67
				Flat metallic	4LHVDF-WE61~67	4LHVLF-WE61~67	4LHVZF-WE61~67
		216" (5486)	Wood veneer	Knife	4LHV AL-WE51~56	4LHVGL-WE51~56	4LHVWL-WE51~56
				Flat	4LHV BL-WE51~56	4LHVHL-WE51~56	4LHVXL-WE51~56
				Flat metallic	4LHV DL-WE51~56	4LHVLL-WE51~56	4LHVZL-WE51~56
			Reconstituted wood	Knife	4LHV AL-WE61~67	4LHVGL-WE61~67	4LHVWL-WE61~67
				Flat	4LHV BL-WE61~67	4LHVHL-WE61~67	4LHVXL-WE61~67
				Flat metallic	4LHV DL-WE61~67	4LHVLL-WE61~67	4LHVZL-WE61~67
		240" (6096)	Wood veneer	Knife	4LHVAM-WE51~56	4LHVGM-WE51~56	4LHVWM-WE51~56
				Flat	4LHVBM-WE51~56	4LHVHM-WE51~56	4LHVXM-WE51~56
				Flat metallic	4LHVDM-WE51~56	4LHVLM-WE51~56	4LHVZM-WE51~56
			Reconstituted wood	Knife	4LHVAM-WE61~67	4LHVGM-WE61~67	4LHVWM-WE61~67
				Flat	4LHVBM-WE61~67	4LHVHM-WE61~67	4LHVXM-WE61~67
				Flat metallic	4LHVDM-WE61~67	4LHVLM-WE61~67	4LHVZM-WE61~67

<About product code>

The product codes of Okamura items consist of numbers and letters, and in general the 6-digit product code No. and 4-digit specification (color) code No.

- Wood veneer / WE51 Dyed Oak, WE52 Dark Sapele, WE53 Walnut, WE54 Teak, WE55 Oak, WE56 Figured Maple
- Reconstituted wood / WE61 Pinstripe, WE66 Red Stripe, WE67 Golden Wall, WE64 Beat, WE63 Gray Silver

**4LHVAA-WE51**  
 Product code (6 digits) | Specification (color code)



# Product Codes

v collection

H	W	L	Top Finish	Top Edge	Product Code		
					Rectangle	Boat	Oval
29" (740)	54" (1372)	96" (2438)	Wood veneer	Knife	4LHVAQ-WE51~56	4LHVGQ-WE51~56	4LHVWQ-WE51~56
				Flat	4LHVBQ-WE51~56	4LHVHQ-WE51~56	4LHVXQ-WE51~56
				Flat metallic	4LHVDQ-WE51~56	4LHVLQ-WE51~56	4LHVZQ-WE51~56
			Reconstituted wood	Knife	4LHVAQ-WE61~67	4LHVGQ-WE61~67	4LHVWQ-WE61~67
				Flat	4LHVBQ-WE61~67	4LHVHQ-WE61~67	4LHVXQ-WE61~67
				Flat metallic	4LHVDQ-WE61~67	4LHVLQ-WE61~67	4LHVZQ-WE61~67
		120" (3048)	Wood veneer	Knife	4LHVAG-WE51~56	4LHVGG-WE51~56	4LHVWG-WE51~56
				Flat	4LHVBG-WE51~56	4LHVHG-WE51~56	4LHVXG-WE51~56
				Flat metallic	4LHVDG-WE51~56	4LHVLG-WE51~56	4LHVZG-WE51~56
			Reconstituted wood	Knife	4LHVAG-WE61~67	4LHVGG-WE61~67	4LHVWG-WE61~67
				Flat	4LHVBG-WE61~67	4LHVHG-WE61~67	4LHVXG-WE61~67
				Flat metallic	4LHVDG-WE61~67	4LHVLG-WE61~67	4LHVZG-WE61~67
		144" (3658)	Wood veneer	Knife	4LHVAR-WE51~56	4LHVGR-WE51~56	4LHVWR-WE51~56
				Flat	4LHVBR-WE51~56	4LHVHR-WE51~56	4LHVXR-WE51~56
				Flat metallic	4LHVDR-WE51~56	4LHVLR-WE51~56	4LHVZR-WE51~56
			Reconstituted wood	Knife	4LHVAR-WE61~67	4LHVGR-WE61~67	4LHVWR-WE61~67
				Flat	4LHVBR-WE61~67	4LHVHR-WE61~67	4LHVXR-WE61~67
				Flat metallic	4LHVDR-WE61~67	4LHVLR-WE61~67	4LHVZR-WE61~67
		168" (4267)	Wood veneer	Knife	4LHVAH-WE51~56	4LHVGH-WE51~56	4LHVWH-WE51~56
				Flat	4LHVBH-WE51~56	4LHVHH-WE51~56	4LHVXH-WE51~56
				Flat metallic	4LHVDH-WE51~56	4LHV LH-WE51~56	4LHVZH-WE51~56
			Reconstituted wood	Knife	4LHVAH-WE61~67	4LHVGH-WE61~67	4LHVWH-WE61~67
				Flat	4LHVBH-WE61~67	4LHVHH-WE61~67	4LHVXH-WE61~67
				Flat metallic	4LHVDH-WE61~67	4LHV LH-WE61~67	4LHVZH-WE61~67
		192" (4875)	Wood veneer	Knife	4LHVAI-WE51~56	4LHVGI-WE51~56	4LHVWI-WE51~56
				Flat	4LHVBI-WE51~56	4LHVHI-WE51~56	4LHVXI-WE51~56
				Flat metallic	4LHV DI-WE51~56	4LHVLI-WE51~56	4LHVZI-WE51~56
			Reconstituted wood	Knife	4LHVAI-WE61~67	4LHVGI-WE61~67	4LHVWI-WE61~67
				Flat	4LHVBI-WE61~67	4LHVHI-WE61~67	4LHVXI-WE61~67
				Flat metallic	4LHV DI-WE61~67	4LHVLI-WE61~67	4LHVZI-WE61~67
		216" (5486)	Wood veneer	Knife	4LHVAS-WE51~56	4LHVGS-WE51~56	4LHVWS-WE51~56
				Flat	4LHVBS-WE51~56	4LHVHS-WE51~56	4LHVXS-WE51~56
				Flat metallic	4LHVDS-WE51~56	4LHVLS-WE51~56	4LHVZS-WE51~56
			Reconstituted wood	Knife	4LHVAS-WE61~67	4LHVGS-WE61~67	4LHVWS-WE61~67
				Flat	4LHVBS-WE61~67	4LHVHS-WE61~67	4LHVXS-WE61~67
				Flat metallic	4LHVDS-WE61~67	4LHVLS-WE61~67	4LHVZS-WE61~67
		240" (6096)	Wood veneer	Knife	4LHVAT-WE51~56	4LHVGT-WE51~56	4LHVWT-WE51~56
				Flat	4LHVBT-WE51~56	4LHVHT-WE51~56	4LHVXT-WE51~56
				Flat metallic	4LHVDT-WE51~56	4LHVLT-WE51~56	4LHVZT-WE51~56
			Reconstituted wood	Knife	4LHVAT-WE61~67	4LHVGT-WE61~67	4LHVWT-WE61~67
				Flat	4LHVBT-WE61~67	4LHVHT-WE61~67	4LHVXT-WE61~67
				Flat metallic	4LHVDT-WE61~67	4LHVLT-WE61~67	4LHVZT-WE61~67

<About product code>

The product codes of Okamura items consist of numbers and letters, and in general the 6-digit product code No. and 4-digit specification (color) code No.

■ Wood veneer / WE51 Dyed Oak, WE52 Dark Sapele, WE53 Walnut, WE54 Teak, WE55 Oak, WE56 Figured Maple

■ Reconstituted wood / WE61 Pinstripe, WE66 Red Stripe, WE67 Golden Wall, WE64 Beat, WE63 Gray Silver

**4LHVAA-WE51**  
 Product code (6 digits)      Specification (color code)

# Product Codes

v collection

H	W	L	Top Finish	Top Edge	Product Code		
					Rectangle	Boat	Oval
29" (740)	60" (1524)	144" (3658)	Wood veneer	Knife	4LHVAX-WE51~56	4LHVGX-WE51~56	4LHVWX-WE51~56
				Flat	4LHVBX-WE51~56	4LHVHX-WE51~56	4LHVXX-WE51~56
				Flat metallic	4LHVDX-WE51~56	4LHV LX-WE51~56	4LHVZX-WE51~56
			Reconstituted wood	Knife	4LHVAX-WE61~67	4LHVGX-WE61~67	4LHVWX-WE61~67
				Flat	4LHVBX-WE61~67	4LHVHX-WE61~67	4LHVXX-WE61~67
				Flat metallic	4LHVDX-WE61~67	4LHV LX-WE61~67	4LHVZX-WE61~67
		168" (4267)	Wood veneer	Knife	4LHVAN-WE51~56	4LHVGN-WE51~56	4LHVWN-WE51~56
				Flat	4LHVBN-WE51~56	4LHVHN-WE51~56	4LHVXN-WE51~56
				Flat metallic	4LHV DN-WE51~56	4LHV LN-WE51~56	4LHVZN-WE51~56
			Reconstituted wood	Knife	4LHVAN-WE61~67	4LHVGN-WE61~67	4LHVWN-WE61~67
				Flat	4LHVBN-WE61~67	4LHVHN-WE61~67	4LHVXN-WE61~67
				Flat metallic	4LHV DN-WE61~67	4LHV LN-WE61~67	4LHVZN-WE61~67
		192" (4875)	Wood veneer	Knife	4LHVAP-WE51~56	4LHVGP-WE51~56	4LHVWP-WE51~56
				Flat	4LHVBP-WE51~56	4LHVHP-WE51~56	4LHVXP-WE51~56
				Flat metallic	4LHVDP-WE51~56	4LHVLP-WE51~56	4LHVZP-WE51~56
			Reconstituted wood	Knife	4LHVAP-WE61~67	4LHVGP-WE61~67	4LHVWP-WE61~67
				Flat	4LHVBP-WE61~67	4LHVHP-WE61~67	4LHVXP-WE61~67
				Flat metallic	4LHVDP-WE61~67	4LHVLP-WE61~67	4LHVZP-WE61~67
		216" (5486)	Wood veneer	Knife	4LHVAY-WE51~56	4LHVGY-WE51~56	4LHVWY-WE51~56
				Flat	4LHVBY-WE51~56	4LHVHY-WE51~56	4LHVXY-WE51~56
				Flat metallic	4LHV DY-WE51~56	4LHV LY-WE51~56	4LHVZY-WE51~56
			Reconstituted wood	Knife	4LHVAY-WE61~67	4LHVGY-WE61~67	4LHVWY-WE61~67
				Flat	4LHVBY-WE61~67	4LHVHY-WE61~67	4LHVXY-WE61~67
				Flat metallic	4LHV DY-WE61~67	4LHV LY-WE61~67	4LHVZY-WE61~67
240" (6096)	Wood veneer	Knife	4LHV AZ-WE51~56	4LHV GZ-WE51~56	4LHVWZ-WE51~56		
		Flat	4LHV BZ-WE51~56	4LHV HZ-WE51~56	4LHVXZ-WE51~56		
		Flat metallic	4LHV DZ-WE51~56	4LHV LZ-WE51~56	4LHVZZ-WE51~56		
	Reconstituted wood	Knife	4LHV AZ-WE61~67	4LHV GZ-WE61~67	4LHVWZ-WE61~67		
		Flat	4LHV BZ-WE61~67	4LHV HZ-WE61~67	4LHVXZ-WE61~67		
		Flat metallic	4LHV DZ-WE61~67	4LHV LZ-WE61~67	4LHVZZ-WE61~67		

<About product code>

The product codes of Okamura items consist of numbers and letters, and in general the 6-digit product code No. and 4-digit specification (color) code No.

■ Wood veneer / WE51 Dyed Oak, WE52 Dark Sapele, WE53 Walnut, WE54 Teak, WE55 Oak, WE56 Figured Maple

■ Reconstituted wood / WE61 Pinstripe, WE66 Red Stripe, WE67 Golden Wall, WE64 Beat, WE63 Gray Silver

**4LHVAA-WE51**  
 Product code (6 digits)    Specification (color code)

# Credenza

## Variation



Aluminum base



Plinth base


## Product Details



The Back and Interior are finished with the same beautiful veneer as the exterior.



Bevel Edge Profile make doors easy to open, despite their minimal design.



Interior Shelves can be adjusted on 1 1/4" increments.

The Top grain runs horizontally, creating beautiful, broad lines.



Doors come standard with 110° soft close hinges and feature discreet open marks. Optional door locks are available.



Bases are available in two types - Aluminum base, Plinth base.

## Statement of line

Aluminum base

W=20"

H	L	60"	72"	84"	96"	108"
29"		<p>4LHCAA-WE51~56</p>	<p>4LHCAB-WE51~56</p>	<p>4LHCAC-WE51~56</p>	<p>4LHCAD-WE51~56</p>	<p>4LHCAE-WE51~56</p>
		<p>4LHCBA-WE51~56</p>	<p>4LHCBB-WE51~56</p>	<p>4LHCBC-WE51~56</p>	<p>4LHCBD-WE51~56</p>	<p>4LHCBE-WE51~56</p>

Plinth base

H	L	60"	72"	84"	96"	108"
29"		<p>4LHCZA-WE51~56</p>	<p>4LHCZB-WE51~56</p>	<p>4LHCZC-WE51~56</p>	<p>4LHCZD-WE51~56</p>	<p>4LHCZE-WE51~56</p>
		<p>4LHCYA-WE51~56</p>	<p>4LHCYB-WE51~56</p>	<p>4LHCYC-WE51~56</p>	<p>4LHCYD-WE51~56</p>	<p>4LHCYE-WE51~56</p>

<About product code>

The product codes of Okamura items consist of numbers and letters, and in general the 6-digit product code No. and 4-digit specification (color) code No.

■ Wood veneer / WE51 Dyed Oak, WE52 Dark Sapele, WE53 Walnut, WE54 Teak, WE55 Oak, WE56 Figured Maple

4LHCAA-WE51

Product code (6 digits) | Specification (color code)

inches

okamura

**OKAMURA CORPORATION**

**International Sales & Marketing Div.**

2-14-27, Akasaka, Minato-ku, Tokyo 107-0052, JAPAN

Tel: +81-3-5561-4085 Fax: +81-3-5561-4086

<http://www.okamura.jp/>

The products listed in this catalog are available as of February 2018. Please note that specifications, dimensions, and colors are subject to change without notice. The colors of the actual products may differ somewhat from the colors shown in the catalog, depending on printing conditions.

YOCK43-7D1 '18-02